

**ENVIRONMENTAL PRODUCT DECLARATION /
PRODUCT ENVIRONMENTAL PROFILE**

Connected Home

GTW100ZB

Type III according to ISO 14025



Owner of the declaration: Siemens Switzerland Ltd	Program holder and publisher: P.E.P. Association
In compliance with: ISO 14025; EN 50693; PCR-4-ed4-EN-2021 09 06; PSR-0005-ed3.1-EN-2023 12 08	
EPD Type: Specific product	EPD scope: Cradle-to-Grave

General information

This environmental product declaration (EPD) is based on the international standard ISO 14025. The data in this EPD has been evaluated on a full-scale life cycle assessment (LCA) study according to ISO 14040/44, taking into account the product category rules (PCR) for electronic and electrotechnical products and systems defined in EN 50693 :2019 as well as PCR-4-ed4-EN-2021 09 06 Product Category Rules for Electrical, Electronic and HVAC-R Products and PSR-0005-ed3.1-EN-2023 12 08 – SPECIFIC RULES FOR Electrical switchgear and control gear Solutions.


Siemens is dedicated to an environmentally conscious design of its products in line with IEC 62430 and has implemented an integrated management system according to ISO 9001, ISO 14001 and ISO 45001.

Product	GTW100ZB
Represented by	S55772-T109 (GTW100ZB)
Product Description	Siemens Connected Home Hub to create Zigbee system and control connected Zigbee devices.
Functional Unit	Continuous control with 5 W of domestic heating system, over a reference lifetime of 10 years.
Production site	Shenzhen, China

Material composition

The following chart outlines the overall material composition of the calculated reference product including its packaging. Product weight of 0.229 kg adds up with packaging weight of 0.071 kg to a total weight of 0.300 kg. Packaging consists of 20-PAP corrugated fibreboard, 21-PAP non-corrugated fibreboard, PET foil and 22-PAP paper. Plastics 64.8%; Metals 11.8%; Others 23.4%

Product Weight incl. packaging 0.300 kg



Substance assessment

At Siemens, we are committed to the development and production of environmentally sound and sustainably produced equipment. This includes avoiding hazardous substances in our products without compromising their benefits for our customers. Please visit the following website to learn more about how we comply with product-related environmental regulations like RoHS, REACH, WEEE and others: [Product Related Environmental Protection](#)

System boundaries & Scenarios

The EPD covers the cradle to grave of the product including the following stages.

Product stage			Distribution	Installation	Use stage							End of life stage				Benefits & loads beyond system boundary
Raw materials	Transport	Manufacturing	Transport	Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-Installation	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling-potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	X	X	0	0	0	0	0	X	0	MND	X	X	X	X

MND – Module not declared as impacts are neglectable.

Temporal & geographical scope & representativeness

Primary data of FY 2022 (10/2022-09/2023);
 Secondary data: OneGaBiModel_Database – 2024.2
 The materials and components used in production are globally sourced and have been selected from Sphera data sets according to the global or regional representativeness.
 - Geographical representativeness of some raw material processes is limited due to the use of secondary datasets of other regions however for other processes good as used from regional or global specific data set
 - Technology coverage good, partly very good as secondary data sets built on market average

Data quality

Both primary and secondary data are used. To ensure the high quality and completeness of the LCA results, primary data have been used whenever possible. The main sources for primary data are the bill of materials and the bill of processes. Site-specific data are provided by Siemens reporting system.
 Datasets for resources, such as electrical energy or natural gas, are chosen from the region where the device is produced and assembled. If primary data are not available, datasets reflecting state-of-the-art manufacturing technology are considered. Generic data originating from the LCA tool: GaBi 10.9.0.20, Database: OneGaBiModel_Database – 2024.2 are used.

Allocation:

For the end-of-life allocation, the "Polluter Pays" principle is adopted as required by the PCR-ed4-EN-2021 09 06 and PSR-0005-ed3.1-EN-2023 12 08. Waste treatment processes are allocated to the product system that generates the waste until the end-of-waste state is reached. The environmental burdens of recycling and energy recovery processes are therefore allocated to the product system that generates the waste, while the product system that uses the exported energy and recycled materials receives it burden-free. Potential benefits and avoided loads from recovery and recycling processes are considered in separate Benefits & Loads beyond system boundary section.

Cut-off

No cut-off rules were applied. All inputs have been covered and nothing has been excluded intentionally.

Scenarios:

The following information describes the scenarios in the different modules of the EPD.

Manufacturing	This stage covers the extraction of natural resources, production of raw materials, manufacturing, packaging, and upstream transportation.
Transportation to production site	Primary data has been used.
Production energy model used	CN: Electricity grid mix
Distribution	This stage covers the product's distribution.
Distribution transport model used	1610 km distance; GLO: Truck-trailer, Euro IV, 27 t payload, 85% loading rate
Installation	No materials for installation or relevant installation processes required. Packaging waste is considered.
Installation energy model used	Not relevant.
Use	This stage covers the operational energy use. All other modules do not apply for this product. Different operating conditions can lead to deviations from the reference scenario.
Energy model used and use scenario	Active product. Active power of 5.0 W in typical use during 100% of the time. EU-28: Electricity grid mix
End of Life (EoL)	This stage covers the disassembly, material recycling in addition to thermal treatment of all recoverable materials and the disposal of all other materials.
EoL: Transport model used	1000 km default distance; GLO: Truck-trailer, Euro IV, 27 t payload, 85% loading rate
EoL: Energy model used	EU-28: Electricity grid mix

Life Cycle Assessment -Results

The following impact categories characterize the product's environmental footprint. They have been calculated with LCIA methodology EN15804+A2; LCA tool: GaBi 10.9.0.20, Database: OneGaBiModel_Database - 2024.2.

Environmental performance indicators

Indicators	Unit	Total - (w/o D)	A1-A3	A4	A5	B1-B7	C1-C4	D
			Manufacturing	Distribution	Installation	Use stage	End of life	Benefits & Loads
CC - total	kg CO2 eq	1.35E+02	8.39E+00	3.15E-02	5.85E-02	1.27E+02	2.94E-01	-2.24E-01
CC - fossil	kg CO2 eq	1.34E+02	8.43E+00	3.18E-02	1.79E-03	1.25E+02	2.94E-01	-2.24E-01
CC - biogenic	kg CO2 eq	1.14E+00	-4.41E-02	-8.02E-04	5.67E-02	1.13E+00	4.65E-05	1.79E-05
CC - luluc	kg CO2 eq	2.85E-02	8.70E-03	5.25E-04	4.97E-06	1.91E-02	1.62E-04	-4.08E-04
ODP	kg CFC11 eq	5.23E-09	2.39E-09	4.60E-15	7.97E-15	2.85E-09	7.74E-13	1.12E-10
AP	molc H+ eq	2.83E-01	4.07E-02	2.18E-04	1.93E-05	2.42E-01	2.11E-04	-4.31E-03
EP- freshwater	kg P eq	5.73E-04	4.91E-05	1.33E-07	3.87E-09	5.23E-04	2.00E-07	-4.03E-07
EP -marine	kg N eq	6.79E-02	7.20E-03	1.08E-04	7.49E-06	6.05E-02	7.61E-05	-2.03E-04
EP - terrestrial	molc N eq	7.12E-01	7.74E-02	1.19E-03	9.11E-05	6.33E-01	9.24E-04	-2.18E-03
POCP	kg NMVOC eq	1.82E-01	2.16E-02	2.12E-04	1.87E-05	1.60E-01	1.68E-04	-7.83E-04
ADP-M&M	kg Sb-Eq	8.90E-04	8.66E-04	2.72E-09	1.12E-10	2.35E-05	7.44E-09	-1.60E-04
ADP-fossil	MJ	2.75E+03	1.18E+02	4.11E-01	2.39E-02	2.63E+03	9.66E-01	-3.12E+00
WDP	m³	3.62E+01	1.96E+00	4.84E-04	7.22E-03	3.42E+01	3.19E-02	-8.72E-02
PM	Disease incidence	2.51E-06	4.85E-07	8.97E-10	9.94E-11	2.02E-06	1.45E-09	-3.09E-08
IRP	kBq U235 eq.	6.95E+01	5.01E-01	1.09E-04	1.43E-04	6.90E+01	1.70E-02	-1.09E-02
ETP-fw	CTUe	8.29E+02	6.65E+01	3.05E-01	1.20E-02	7.62E+02	3.77E-01	-1.40E+00
HTP-c	CTUh	4.51E-08	2.35E-09	6.17E-12	5.50E-13	4.28E-08	1.71E-11	-1.59E-10
HTP-nc	CTUh	7.52E-07	9.56E-08	2.77E-10	1.29E-11	6.56E-07	5.79E-10	-1.02E-08

Indicators	Unit	Total - (w/o D)	A1-A3	A4	A5	B1-B7	C1-C4	D
			Manufacturing	Distribution	Installation	Use stage	End of life	Benefits & Loads
SQP	Dimension-less	1.14E+03	2.43E+01	2.02E-01	7.95E-03	1.11E+03	3.91E-01	-1.38E+00

CC-total: Climate change; **CC-fossil:** Climate change fossil fuels; **CC-biogenic:** Climate change biogenic; **CC-LULUC:** Climate change land use and land use change; **ODP:** Depletion potential of the stratospheric ozone layer; **AP:** Acidification potential, Accumulated Exceedance; **EP-freshwater:** Eutrophication potential, fraction of nutrients reaching freshwater end compartment; See “additional Norwegian requirements” for indicator given as PO4 eq. **EP-marine:** Eutrophication potential, fraction of nutrients reaching freshwater end compartment; **EP-terrestrial:** Eutrophication potential, Accumulated Exceedance; **POCP:** Formation potential of tropospheric ozone; **ADP-M&M:** Abiotic depletion potential for non-fossil resources (minerals and metals); **ADP-fossil:** Abiotic depletion potential for fossil resources; **WDP:** Water deprivation potential, deprivation weighted water consumption; **PM:** Particulate matter emissions; **IRP:** Ionizing radiation, human health; **ETP-fw:** Ecotoxicity (freshwater); **ETP-c:** Human toxicity, cancer effects; **HTP-nc:** Human toxicity, non-cancer effects; **SQP:** Land use related impacts / soil quality

Resource use indicators

Indicators	Unit	Total - (w/o D)	A1-A3	A4	A5	B1-B7	C1-C4	D
			Manufacturing	Distribution	Installation	Use stage	End of life	Benefits & Loads
PERE	MJ	1.93E+03	2.99E+01	3.54E-02	5.31E-03	1.90E+03	2.99E+00	-9.43E-01
PERM	MJ	0.00E+00	2.48E+00	0.00E+00	0.00E+00	0.00E+00	-2.48E+00	0.00E+00
PERT	MJ	1.93E+03	3.24E+01	3.54E-02	5.31E-03	1.90E+03	5.15E-01	-9.43E-01
PENRE	MJ	2.75E+03	1.03E+02	4.11E-01	2.39E-02	2.63E+03	1.61E+01	-3.12E+00
PENRM	MJ	0.00E+00	1.51E+01	0.00E+00	0.00E+00	0.00E+00	-1.51E+01	0.00E+00
PENRT	MJ	2.75E+03	1.18E+02	4.11E-01	2.39E-02	2.63E+03	9.66E-01	-3.12E+00
SM	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	m³	1.52E+00	6.64E-02	3.95E-05	1.70E-04	1.45E+00	9.26E-04	-3.34E-03
Biogenic carbon content of the product	kg of C	0.00E+00						

Indicators	Unit	Total - (w/o D)	A1-A3	A4	A5	B1-B7	C1-C4	D
			Manufacturing	Distribution	Installation	Use stage	End of life	Benefits & Loads

Biogenic
carbon
content of
the
associated
packaging

kg of C 1.53E-02

ERE: Use of renewable primary energy; PERM: Use of renewable primary energy resources used as raw material; PERT: Total use of renewable primary energy resources; PENRE: Use of non-renewable primary energy; PENRM: Use of non-renewable primary energy resources used as raw material; PENRT: Total use of non-renewable primary energy resources; SM: Use of secondary materials; RSF: Use of renewable secondary fuels; NRSF: Use of non-renewable secondary fuels; FW Use of net fresh water

End of life – Waste & output flows

Indicators	Unit	Total - (w/o D)	A1-A3	A4	A5	B1-B7	C1-C4	D
			Manufacturing	Distribution	Installation	Use stage	End of life	Benefits & Loads
HWD	kg	7.05E-06	3.25E-06	1.58E-11	1.02E-11	3.79E-06	1.01E-09	-1.51E-09
NHWD	kg	2.56E+00	2.54E-01	6.72E-05	1.83E-03	2.17E+00	1.37E-01	-2.57E-02
RWD	kg	4.24E-01	4.64E-03	7.49E-07	9.10E-07	4.19E-01	1.05E-04	-1.11E-04
MER	kg	1.60E-01	2.90E-03	0.00E+00	0.00E+00	0.00E+00	1.57E-01	0.00E+00
MFR	kg	3.29E-02	1.17E-03	0.00E+00	0.00E+00	0.00E+00	3.18E-02	0.00E+00
CRU	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ETE	MJ	1.51E+00	4.41E-02	0.00E+00	0.00E+00	0.00E+00	1.47E+00	0.00E+00
EEE	MJ	6.53E-01	1.90E-02	0.00E+00	0.00E+00	0.00E+00	6.34E-01	0.00E+00

HWD: hazardous waste disposed; NHWD: non-hazardous waste disposed; RWD: radioactive waste disposed; MER: materials for energy recovery; MFR: material for recycling; CRU: components for reuse; ETE: exported thermal energy; EEE: exported electricity energy.

Additional Environmental Information

Climate change

This chart shows the overall impact of the product on climate change – total. The operations phase is the lifecycle phase with the biggest overall impact. Different operating conditions can lead to deviations from the reference scenario.



References

ISO 14025:2010	Environmental labels and declarations - Type III environmental declarations - Principles and procedures
ISO 14040/44	Life cycle assessment – Principles and framework
EN 50693	Product category rules for life cycle assessments of electronic and electrical products and systems
PCR–ed4-EN-2021 09 06	Product Category Rules for Electrical, Electronic and HVAC-R Products
PSR-0005-ed3.1-EN-2023 12 08	SPECIFIC RULES FOR Electrical switchgear and control gear Solutions



Program Operator and publisher

P.E.P. Association 11/17, rue de l'Amiral Hamelin – 75016 Paris, France
Non-profit association (Law of 1901) – SIRET No.: 789 180 320 00010



Owner of the Declaration

Siemens Switzerland Ltd
Theilerstrasse 1a
6300 Zug, Switzerland



Author

Enrico Aversano
Theilerstrasse 1a
6300 Zug, Switzerland
Email: enrico.aversano@siemens.com

Legal Disclaimer

This Environmental Product Declaration (EPD) is for information purposes only. It is based upon the standards mentioned above.

This EPD does not warrant or guarantee the composition of a product or that the product will retain a particular composition for a particular period. Therefore, all warranties, representations, conditions, and all other terms of any kind whatsoever implied by statute or common law are – to the fullest extent permitted by applicable law – excluded.

Siemens therefore does not assume any liability for any error or for any consequence which may arise from the use of this information to the maximum extent under the law.

Please be aware that the data of this EPD cannot be compared with data calculated based upon product category rules (PCRs) other than the standards mentioned above. The values given are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

**Published by
Siemens Switzerland Ltd**

Theilerstrasse 1a
6300 Zug
Switzerland

Subject to changes and errors.

The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. In particular no assurance is given that those descriptions and performance features stand under warranty or guarantee in sense of any liability for any error or for any consequence which may arise from the use of this information to the maximum extent under the law. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

All product designations may be trademarks or product names of Siemens AG or other companies whose use by third parties for their own purposes could violate the rights of the owners.

© 2025 by Siemens

Registration number: SIEM-00005-V01.01-EN	Drafting rules: PCR-4-ed4-EN-2021 09 06 Supplemented by PSR-0005-ed3.1-EN-2023 12 08
Verifier accreditation number: VH51	Information and reference documents: www.pep-ecopassport.org
Date of issue: 03-2025	Validity period: 5 years
Independent verification of the declaration and data in compliance with ISO 14025: 2006	
Internal:	External: X
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)	
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022 The components of the present PEP may not be compared with components from any other program.	
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"	